

## NOTICE OF SALE OF GENERATORS

The Akiachak Native Community (ANC) Electric Company have Two (2) Generator Sets for Sale. The two generators are the 230 KW Cummins and the 100 KW Duetz Generator Sets. The price tag for the two are as follows:

- 230 KW Cummins includes a Portable Panel and the Switch for immediate hook up. The market price is \$55,000.00 or a Best offer.
- 100 KW Duetz Generator Set with automatic oil changer. The asking price is \$23,000.00 or Best Offer.

The ANC Electric Company will sell the two Generator Sets on First come basis. The Price Tag is FOB Akiachak Airport or the Dock. If you are interested please call (907) 825-4128 and ask for Sam J. George, President.

trails and ca  
Permits fo  
on the Chuga  
of Turnagain  
Forest Servi  
Business Parl  
south of the  
in Seward.  
For those  
holidays wit  
of a white sp  
Ingram Cree  
get a tree.



## Classified

State of Alaska  
Department of Health and Social Services  
Current Vacancy: Juneau  
Division of Mental Health and  
Developmental Disabilities  
Mental Health Clinician III  
(Coordinator of Mental Health Programs  
For Children and Adolescents)

The Division of Mental Health and Developmental Disabilities has a Mental Health Clinician III position opening in Juneau as the Coordinator of Mental Health Programs for Children and Adolescents. Under general supervision of the mental health education coordinator, this position is responsible for improving services to severely disturbed children and adolescents through better interagency coordination. Duties include, but are not limited to:

- Establishing interagency relationships and working productively to resolve service issues at the state and local level;

- Performing needs assessments and prioritizing needed services;
- Working to discover alternative funding sources for services to children and adolescents;
- Grant writing and liaison functions with federal granting agencies.

### MINIMUM QUALIFICATIONS:

Ph.D. in psychology, social work, child guidance, nursing, vocational rehabilitation, or a closely related field. OR Master's degree in psychology, social work, child guidance, nursing, vocational rehabilitation, or a closely related field, PLUS four years of experience including two years equivalent to the level of Mental Health Clinician II. Substitution: Graduate study beyond the Master's degree may substitute for the required experience on a

## DRINKING WATER NOTICE

The owners or operators of the drinking water systems listed below have not performed routine tests for bacteriological contamination as required by Alaska state regulations. Routine tests are necessary because water can become contaminated at any time.

Lack of periodic testing does not necessarily mean that the drinking water is contaminated, but lack of testing means that the quality of the water is unknown.

ID No	Facility Name	Months in Non-Compliance Oct 1984-Oct 1985
-------	---------------	---

### Anchorage/Western District

261101	Jensen Apts., King Salmon	11
270061	Oscarville Water System	10
270134	Kotlik Water System	4
270215	Toksook Bay Water System	6
270257	Goodnews Bay	5
270338	Chefornak Water System	4
271211	Tuntutuliak Wastewater	6

One (1) bacti sample per month is required during periods of operation



This notice paid for by  
Alaska Department of Environmental Conservation  
Southcentral Regional Office  
437 "E" Street - 2nd Floor  
Anchorage, AK 99501  
Phone 274-2533

# Two ways to say cargo.

Call MarkAir or your freight forwarder (907) 266-6224.

**MARKAIR**  
Alaska is our home.