

## Boats To Have Flotation Gear

JUNEAU — All recreational boats 16 feet and longer are required by the U.S. Coast Guard to carry one wearable personal flotation device for each person on board, plus one throwable device per boat.

Boats less than 16 feet in length and all canoes and kayaks must carry either a wearable or throwable device for each person on board.

The throwable device has been a must since Oct. 1, 1973. There are only two throwable devices approved by the Coast Guard. They are the buoyant cushion and the ring buoy. Neither are designed to be worn.

Coast Guard boarding officers have reported many cases where a person is found wearing a buoyant cushion on his back. This can be deadly.


It is important to realize that when a person enters the water with a buoyant cushion strapped to his back, the cushion then becomes a killer rather than a life saver.

Since all the flotation material is located on the back and none in front, the person will be forced to float face down.

However, there is a safe way

to wear a buoyant cushion if the need should arise. Place both arms through the straps and hug the cushion. Since the throwable device is designed for throwing to a person already in the water, it must always be immediately available.


For more information on how to be a safer boater, contact your local Coast Guard unit, or write to Boating Safety Office, P.O. Box 3-5000, Juneau, Alaska 99801.



Some people believe that an ax placed under the bed will cut the pains of a sick person.

## Electricity From the Wind

Distributors for  
Elektro, Dunlite (Quirks)  
And Windcharger



Windlite-Alaska  
P.O. Box 43  
Anchorage, Alaska 99510  
Telephone 279-6552

## JOHN B. COGHILL

UNION OIL DISTRIBUTOR

for Tanana and Yukon River Villages  
also in the Nenana, Clear, Healy areas

P.O. BOX 268, NENANA, ALASKA



## SAVOY BAR

423 2nd

OWNER: CURLY LEVI

MANAGER: TOMMY FULLER

Delightfully Unique!

## HELP WANTED

### HELP WANTED

POSITION OPEN FOR  
ALCOHOLISM PROJECT  
DIRECTOR

Will be responsible to FNA Program Director for overseeing the comprehensive alcoholism program with monthly reports including financial reports given to the FNA Board of Directors with a copy forwarded to the City Council and Community Alcohol Advisory Council. In addition, he/she will comply with city and state specifications. Salary depends on qualifications. Submit applications to Jerry Ford at the Native Center, Employment Office, 102 Lacey Street, Fairbanks, Alaska 99701.

### HELP WANTED

ALASKA METHODIST  
UNIVERSITY  
An Equal Opportunity/Affirmative  
Action Employer

**COORDINATOR: CENTER FOR HEALTH SCIENCES:** Prefer applicant with advanced degree and experience in health-related fields. Planning/assessment health manpower needs; develop and review basic curricula for program development in health areas; work closely with students, faculty, communities, and health service consumers, urban and rural; develop evaluation system for Center program; manage learning experiences and instruct as needed. Compensation commensurate with qualifications. Complete job description available on request. Send vita to Academic Dean, Alaska Methodist University, University Drive, Anchorage, Alaska 99501, Ext. 210.

**PROJECT DIRECTOR: TRAINING FOR NURSE LEADERS.** Prefer experience &/or education in leadership/management; demonstrated ability working with professionals and educators specially interpersonal skills with consumer and providing groups in health care delivery systems. Must be willing to travel extensively. Prefer M.A. in Nursing: R.N. required. Salary commensurate with experience. Contact E. Graham, AMU, Anchorage, 272-4401, Exts. 202 or 271.

**PROJECT DIRECTOR: PROGRAM TO DEVELOP NURSE PRACTITIONERS.** Experience in collegiate nursing program especially in expanding roles for nurses. Ability to assess and plan; awareness of programs preparing nurses for new roles; interpersonal skills, especially sensitivity to multicultural aspects of role training. Must be willing to travel extensively; knowledge of Alaska important. R.N., M.A. in clinical nursing or related field required. Salary commensurate with experience. Full job description available on request. Contact: E. Graham, AMU, Anchorage, 272-4401, Exts. 202 or 271.

## HELP WANTED

**POSITION OPENING  
COMPTROLLER**  
Incumbent has the responsibility of implementing, administering, and coordinating corporation's internal accounting and financial control. Interprets and assures compliance with guidelines and conditions established by CEO, Board of Directors, and corporate management.  
**REQUIREMENTS**  
College graduate with degree in accounting, finance, or business administration plus at least two years of job experience in accounting on related capacity. Knowledge of investment management helpful.  
Send resume and cover letter to:  
Director of Personnel  
Community Enterprise Development Corporation  
503 W. Northern Lights Blvd.  
Anchorage, Alaska 99503  
**EQUAL OPPORTUNITY  
EMPLOYER**

## HELP WANTED

**FIELD REPRESENTATIVE** for Alcoholism Program in Rural Alaska. **DUTIES:** Coordinate and implement alcoholism activities in the 12 regions and rural Alaskan villages. Deliverance of technical assistance and monitoring to village recipients of Federal grants as delegated by the director. Audit of records upon site visits to assure policy and budgetary requirements. Develop a direct line of communication with village projects resulting in constant feedback through a reporting system. Other duties as assigned by the Projects Director.  
**QUALIFICATIONS:** High School Graduate. Graduate from accredited school on alcohol studies desired or two years experience in the field of alcoholism. One year management experience desired. Knowledge of rural Alaska and extensive travel required.  
**SALARY:** D.O.E.  
Apply: Alaska Native Commission on Alcoholism and Drug Abuse, 528 W. 5th Ave., Anchorage, Alaska 99501 Ph. 277-2578  
**APPLICATION DEADLINE:** July 15, 1974

## LEGAL NOTICE

IN THE SUPERIOR COURT  
FOR THE STATE OF ALASKA  
FOURTH JUDICIAL DISTRICT  
IN THE MATTER OF )  
BABY GIRL DOE )  
DOB: Approx. 6/9/74 )  
No. 74-98

**NOTICE OF HEARING**  
To ALL INTERESTED PARTIES:  
On June 14, 1974, a hearing was held in the Superior Court, Fourth Judicial District upon a petition by the Department of Health and Social Services in the case of a baby girl found abandoned at the door of the Fairbanks Memorial Hospital in a paperbox within 5 days of her birth. Permanent custody of the minor will be granted to the Department of Health and Social Services and the parental rights of any natural and legal parents terminated on the 14th day of July, 1974.

Any person who has knowledge of the natural parents of the child or is a parent of the child should contact Judy Sledge, Social Worker for the Division of Family and Children Services, Suite 47, Alaska National Bank Building, Fairbanks phone 452-1844 or the Superior Court, Fourth Judicial District, 604 Barnette Street, State Court and Office Building, Fairbanks, prior to July 14, 1974.  
**DATED** at Fairbanks, Alaska this 26th day of June 1974.  
**NORMAN C. GORSUCH**  
Attorney General  
BY: NATALIE K. FINN  
Assistant Attorney General  
Pub.: July 3, 10, 17 & 24, 1974

## LEGAL NOTICE

**INVITATION FOR BIDS**  
**STATE OF ALASKA**  
**DEPARTMENT OF HIGHWAYS**  
Sealed bids in single copy for furnishing all labor, materials and equipment, and performing all work on Project ALS-0414(4), Homer East described herein, will be received until 2:00 p.m. prevailing time, July 18, 1974 in the Commissioner's Office, Department of Highways, Island Center Building, Douglas, Alaska.  
This project will consist of grading, drainage, and emulsified asphalt surface mixture on 9.7 miles of roadway near Homer, Alaska. Minor grading work will be performed on an equipment-al basis.  
Principal items of work consist of the following: 224,000 tons of borrow; 62,000 tons of subbase A and 42,000 tons of crushed aggregate base grading D; 13,000 tons of emulsified asphalt surface mix; 910 tons of CSS-1 emulsified asphalt; 2,000 linear feet of 18" pipe conduit and 2,800 linear feet of 24" pipe conduit; 5,300 linear feet of woven wire fence with barb wire; 3,900 linear feet of concrete curb and gutter; approximately 1,500,000 square feet of seeding lump sum, all required; and miscellaneous items of work.

All work shall be completed in 260 Calendar days.  
Plans and specifications may be obtained by all who have a bona fide need for them for bidding purposes from the Chief Road Design Engineer, P.O. Box 467, Juneau, Alaska 99801 at a charge of \$10.00 for each assembly. Plans may be examined at Department of Highways Offices in Anchorage, Fairbanks, Valdez.  
B. A. Campbell  
Commissioner of Highways  
Pub.: June 26, July 3 & 10, 1974

## LEGAL NOTICE

**NOTICE FOR PUBLICATION**  
**UNITED STATES DEPARTMENT**  
**OF THE INTERIOR**  
**BUREAU OF LAND**  
**MANAGEMENT**  
Fairbanks District Office  
P.O. Box 1150  
Fairbanks, Alaska 99707  
Hereby gives Notice that Jack N. Reiland of Tanana, Alaska 99777, together with his witnesses Jerome L. Kriel, 809 Cushman and Daniel F. Blood, Rainbow Valley Trailer Court, of Fairbanks, Alaska has submitted an Application to Purchase on his Trade and Manufacturing Site, Serial Number (S) F-034647 for a tract of land described as:

Lot 1, U.S. Survey No. 5566, Alaska, located approximately 6 miles south of the McKinley Park Railroad Station on the Nenana River and the Denali Highway.  
Containing 19.50 acres.

During the period of publication or within 30 days thereafter any person, corporation, or association having or asserting any adverse interest in or claim to the tract of land or any part hereof may file in the proper Land Office, under oath, an adverse claim setting forth the nature and extent thereof; and such adverse claimant shall within 60 days after the filing of such adverse claim, begin action to quiet title in a court of competent jurisdiction in Alaska, and thereafter patent shall be issued in conformity with the final decree of the court.

Harold E. Waldo  
Chief, Division of Land Office  
Pub.: July 10, 17, 24, 31; Aug. 7, 14, 21 & 28, 1974

## LEGAL NOTICE

**NOTICE FOR PUBLICATION**  
**UNITED STATES DEPARTMENT**  
**OF THE INTERIOR**  
**BUREAU OF LAND**  
**MANAGEMENT**  
Fairbanks District Office  
P.O. Box 1150  
Fairbanks, Alaska 99707  
Hereby gives Notice that Daniel W. Adney of Anchorage, Alaska, together with his witnesses Paul Riley and Paul H. Shanahan has submitted an Application to Purchase on his Trade and Manufacturing Site, Serial Number (S) F-1231 for a tract of land described as:

U.S. Survey No. 4096, Alaska located on the east shore of Chitchar Lake, containing 65.41 acres.

During the period of publication or within 30 days thereafter any person, corporation, or association having or asserting any adverse interest in or claim to the tract of land or any part hereof may file in the proper Land Office, under oath, an adverse claim setting forth the nature and extent thereof; and such adverse claimant shall within 60 days after the filing of such adverse claim, begin action to quiet title in a court of competent jurisdiction in Alaska, and thereafter patent shall be issued in conformity with the final decree of the court.

Harold E. Waldo  
Chief, Division of Land Office  
Pub.: July 10, 17, 24, 31; Aug. 7, 14, 21, 28 & Sept. 4, 1974

## LEGAL NOTICE

**NOTICE OF PUBLIC HEARING**  
**ASSEMBLY OF THE NORTH**  
**SLOPE BOROUGH**  
**BARROW, ALASKA**  
**FILE NUMBER:** GA 13-74  
**DATE OF HEARING:** July 16, 1974, 7:30 P.M.  
**PLACE OF HEARING:** C. E. Building, Second Floor, Barrow, Alaska  
**SUBJECT:** Public Hearing on and consideration by the Assembly of the North Slope Borough of Ordinance 74-14 which has been introduced for consideration by the Assembly of the North Slope Borough.  
**SUMMARY OF ORDINANCE 74-14:** The ordinance is a non-code ordinance adopting Sec. 01.40.010 as part of the borough code. That section reads in full: Acceptance of Fire Protection Services and facilities. The fire protection services and power transferred by the Cities Wainwright, Kak-tovik, Anaktuvuk Pass and Point Hope accepted by the North Slope Borough.  
**DATED** July 3, 1974  
**EBEN HOPSON, Mayor**  
North Slope Borough  
Pub.: July 10, 1974

## LEGAL NOTICE

**NOTICE OF PUBLIC HEARING**  
**ASSEMBLY OF THE NORTH**  
**SLOPE BOROUGH**  
**BARROW, ALASKA**  
**FILE NUMBER:** GA 12-74  
**DATE OF HEARING:** July 16, 1974  
**PLACE OF HEARING:** C. E. Building, Second Floor, Barrow, Alaska  
**SUBJECT:** Public Hearing on and consideration by the Assembly of the North Slope Borough of Ordinance 73-3C which has been introduced for consideration by the Assembly of the North Slope Borough.  
**SUMMARY OF ORDINANCE 73-3C:** Ordinance 73-3C is a non-code ordinance appropriating from the treasury an additional \$379,000.00 for sections 4 and 5 of Ordinance 73-3A. The funds appropriated are to be utilized for the fiscal period 1974-1975. The funds appropriated are allocated as follows:  
Post Secondary Education \$100,000.00  
Ararawide Community Services \$279,000.00  
The source of the appropriation is the General Fund Pipeline Impact.  
**DATED** July 2, 1974  
**EBEN HOPSON, Mayor**  
North Slope Borough  
Pub.: July 10, 1974

## LEGAL NOTICE

**INVITATION FOR BIDS**  
**STATE OF ALASKA**  
**DEPARTMENT OF HIGHWAYS**  
Sealed bids in single copy for furnishing all labor, materials and equipment, and performing all work on Project S-0649(1) & S-0644(10), Geist Road described herein, will be received until 2:00 p.m. prevailing time, August 8, 1974 in the Commissioner's Office, Department of Highways, Island Center Building, Douglas, Alaska.

This project will consist of grading, drainage, asphalt surfacing and construction of two pedestrian overcrossings at Fairbanks, Alaska. Principal items of work consist of the following: 28 acres of clearing and grubbing and 3 acres of hand clearing; 83,000 cubic yards of unclassified excavation; 410,000 tons of selected material; 23,000 tons of crushed aggregate base D-1; 24,000 tons of subbase A; 6,000 tons of hot asphalt pavement; 338 tons of asphalt cement and 97 tons of CSS-2 emulsified asphalt for asphalt surface treatment; 900 tons of grading C and grading E cover coat aggregate for asphalt surface treatment; 1,300 linear feet of 24" pipe conduit; 500 linear feet of beam type guard rail; 7,200 square yards of concrete sidewalk; 5,500 linear feet of Type I curb and gutter; 423 square feet of standard signs; 671,000 square feet of seeding; 5,000 linear feet of asphaltic surfaced pathways; traffic signal system, highway lighting system, and painted traffic marking, lump sum, all required; 2-pedestrian overcrossings, lump sum, all required; and miscellaneous items of work.

All work shall be completed in 315 Calendar days.

Plans and specifications may be obtained by all who have a bona fide need for them for bidding purposes from the Chief Road Design Engineer, P.O. Box 467, Juneau, Alaska 99801 at a charge of \$10.00, non-refundable for each assembly. Plans may be examined at Department of Highway Offices in Anchorage, Fairbanks, Valdez.

B. A. Campbell  
Commissioner of Highways  
Pub. July 3, 10 & 17, 1974

## LEGAL NOTICE

**INVITATION FOR BIDS**  
**STATE OF ALASKA**  
**DEPARTMENT OF HIGHWAYS**  
Sealed bids in single copy for furnishing all labor, materials and equipment, and performing all work on Project RF-LSF-035-3(12), Denali Rest Area described herein, will be received until 2:00 p.m. prevailing time, August 1, 1974 in the Commissioner's Office, Department of Highways, Island Center Building, Douglas, Alaska.

This project will consist of grading, drainage, and emulsified asphalt surfacing on a rest area located approximately 147 miles northerly of Anchorage, Alaska, adjacent to the Anchorage-Fairbanks Highway.

Principal items of work consist of the following: 4,000 cubic yards of unclassified excavation; 23,000 cubic yards (vehicle measure) of borrow and 1,900 cubic yards (vehicle measure) of subbase, grading C; 11,000 square yards of emulsified asphalt surface mix; 88 tons of CSS-1 emulsified asphalt; 270 linear feet of 18" pipe conduit; 106 square feet of standard signs; water system, sewer system, rest room, power supply and power supply house system, lump sum, all required; 230 linear feet of well and casing; and miscellaneous items of work.

All work shall be completed in 150 Calendar days.

Plans and specifications may be obtained by all who have a bona fide need for them for bidding purposes from the Chief Road Design Engineer, P.O. Box 467, Juneau, Alaska 99801 at a charge of \$10.00 non-refundable for each assembly. Plans may be examined at Department of Highway Offices at Anchorage, Fairbanks, Valdez.

B. A. Campbell  
Commissioner of Highways  
Pub.: July 3, 10 & 17, 1974

## LEGAL NOTICE

**NOTICE FOR PUBLICATION**  
**UNITED STATES DEPARTMENT**  
**OF THE INTERIOR**  
**BUREAU OF**  
**LAND MANAGEMENT**  
Fairbanks District Office  
P.O. Box 1150  
Fairbanks, Alaska 99707  
Hereby gives Notice that Hal Waugh of Ketchikan, Alaska, together with his witnesses Willis G. Hardy and Jimmy B. Bedford, both of Fairbanks, Alaska has submitted application to purchase on his Headquarters Site, Serial Number (S) F-9098 for a tract of land described as:

U.S. Survey No. 5713, Alaska, located on the northwesterly shore of Iniakuk Lake at the mouth of Tobuk Creek, Alaska. Containing 5.00 acres.

During the period of publication or within 30 days thereafter any person, corporation, or association having or asserting any adverse interest in or claim to the tract of land or any part hereof may file in the proper Land Office, under oath, an adverse claim setting forth the nature and extent thereof; and such adverse claimant shall within 60 days after the filing of such adverse claim, begin action to quiet title in a court of competent jurisdiction in Alaska, and thereafter patent shall be issued in conformity with the final decree of the court.

Harold E. Waldo  
Chief, Division of Land Office  
Pub.: July 3, 10, 17, 24, 31; Aug. 7, 14, 21 & 28, 1974